SCS Global Services *does hereby certify that an independent assessment has been conducted on behalf of:*

For the following product(s):

Vinyl Tile:
Click Vinyl Flooring (Maximum Thickness 5.0mm), Dry Back Luxury Vinyl Tile (Maximum thickness 3.0mm), Stone Plastic Composite (SPC) Flooring (Maximum thickness: 7.0mm), WPC Flooring (Maximum thickness 13.0mm), WPC Flooring with Pad (Maximum thickness: 15.0mm)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 Version 4.2 – 2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-03702

Valid from: November 01, 2026 to October 31, 2027

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

Diana Kirsanova Phillips, Chief of Staff to the CEO / Chief Assurance Officer
SCS Global Services